## **RAW SEQUENCE LISTING**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

| Application Serial Number: | 10/565, 77/ |
|----------------------------|-------------|
| Source:                    | IFWP,       |
| Date Processed by STIC:    | 1/30/06     |
| •                          |             |

## ENTERED



IFWP

## DATE: 01/30/2006 RAW SEQUENCE LISTING PATENT APPLICATION: US/10/565,771 TIME: 15:45:04 Input Set : F:\10271-131-999.TXT Output Set: N:\CRF4\01302006\J565771.raw 4 <110> APPLICANT: Kinch, Michael S. 6 <120> TITLE OF INVENTION: DIAGNOSIS OF PRE-CANCEROUS CONDITIONS AND USING PCDGF AGENTS 9 <130> FILE REFERENCE: 10271-131-999 C--> 11 <140> CURRENT APPLICATION NUMBER: US/10/565,771 C--> 12 <141> CURRENT FILING DATE: 2006-01-23 14 <150> PRIOR APPLICATION NUMBER: 60/489,035 15 <151> PRIOR FILING DATE: 2003-07-21 17 <160> NUMBER OF SEQ ID NOS: 44 19 <170> SOFTWARE: FastSEQ for Windows Version 4.0 21 <210> SEQ ID NO: 1 22 <211> LENGTH: 19 23 <212> TYPE: PRT 24 <213> ORGANISM: Homo sapiens 26 <220> FEATURE: 27 <223> OTHER INFORMATION: an epitope in a PCDGF K19T peptide 29 <400> SEQUENCE: 1 30 Lys Lys Val Ile Ala Pro Arg Arg Leu Pro Asp Pro Gln Ile Leu Lys 31 1 32 Ser Asp Thr 36 <210> SEQ ID NO: 2 37 <211> LENGTH: 14 38 <212> TYPE: PRT 39 <213> ORGANISM: Homo Sapiens 41 <220> FEATURE: 42 <223> OTHER INFORMATION: S14R peptide 44 <400> SEQUENCE: 2 45 Ser Ala Arg Gly Thr Lys Cys Leu Arg Lys Lys Ile Pro Arg 49 <210> SEQ ID NO: 3 50 <211> LENGTH: 19 51 <212> TYPE: PRT 52 <213> ORGANISM: Homo sapiens 54 <220> FEATURE: 55 <223> OTHER INFORMATION: E19V peptide 57 <400> SEQUENCE: 3 58 Glu Lys Ala Pro Ala His Leu Ser Leu Pro Asp Pro Gln Ala Leu Lys 59 1 5 60 Arg Asp Val 64 <210> SEQ ID NO: 4 65 <211> LENGTH: 15

67 <213> ORGANISM: Homo sapiens

66 <212> TYPE: PRT

TIME: 15:45:04

```
Input Set : F:\10271-131-999.TXT
                     Output Set: N:\CRF4\01302006\J565771.raw
     69 <220> FEATURE:
     70 <223> OTHER INFORMATION: linker sequences inserted between identical VH and VL domains
     72 <400> SEQUENCE: 4
     73 Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Ser
     77 <210> SEQ ID NO: 5
     78 <211> LENGTH: 15
     79 <212> TYPE: PRT
     80 <213> ORGANISM: Homo sapiens
     82 <220> FEATURE:
     83 <223> OTHER INFORMATION: linker sequences inserted between identical VH and VL domains
     85 <400> SEQUENCE: 5
     86 Glu Ser Gly Arg Ser Gly Gly Gly Gly Ser Gly Gly Gly Ser
     87 1
     90 <210> SEQ ID NO: 6
     91 <211> LENGTH: 14
     92 <212> TYPE: PRT
     93 <213> ORGANISM: Homo sapiens
     95 <220> FEATURE:
     96 <223> OTHER INFORMATION: linker sequences inserted between identical VH and VL domains
     98 <400> SEQUENCE: 6
     99 Glu Gly Lys Ser Ser Gly Ser Gly Ser Glu Ser Lys Ser Thr
     100 1
     103 <210> SEQ ID NO: 7
     104 <211> LENGTH: 15
     105 <212> TYPE: PRT
     106 <213> ORGANISM: Homo sapiens
     108 <220> FEATURE:
     109 <223> OTHER INFORMATION: linker sequences inserted between identical VH and VL
domains
    111 <400> SEQUENCE: 7
     112 Glu Gly Lys Ser Ser Gly Ser Gly Ser Glu Ser Lys Ser Thr Gln
    116 <210> SEQ ID NO: 8
    117 <211> LENGTH: 14
    118 <212> TYPE: PRT
    119 <213 > ORGANISM: Homo sapiens
     121 <220> FEATURE:
    122 <223> OTHER INFORMATION: linker sequences inserted between identical VH and VL
domains
    124 <400> SEQUENCE: 8
    125 Glu Gly Lys Ser Ser Gly Ser Gly Ser Glu Ser Lys Val Asp
                                             10
    126 1
    129 <210> SEQ ID NO: 9
    130 <211> LENGTH: 14
    131 <212> TYPE: PRT
    132 <213> ORGANISM: Homo sapiens
    134 <220> FEATURE:
    135 <223> OTHER INFORMATION: linker sequences inserted between identical VH and VL
domains
    137 <400> SEQUENCE: 9
    138 Gly Ser Thr Ser Gly Ser Gly Lys Ser Ser Glu Gly Lys Gly
```

RAW SEQUENCE LISTING

TIME: 15:45:04

```
Input Set : F:\10271-131-999.TXT
                     Output Set: N:\CRF4\01302006\J565771.raw
     139 1
                          5
                                              10
     142 <210> SEQ ID NO: 10
     143 <211> LENGTH: 18
     144 <212> TYPE: PRT
     145 <213> ORGANISM: Homo sapiens
     147 <220> FEATURE:
     148 <223> OTHER INFORMATION: linker sequences inserted between identical VH and VL
domains
     150 <400> SEQUENCE: 10
     151 Lys Glu Ser Gly Ser Val Ser Ser Glu Gln Leu Ala Gln Phe Arg Ser
     152 1
                                              10
     153 Leu Asp
     157 <210> SEQ ID NO: 11
     158 <211> LENGTH: 16
     159 <212> TYPE: PRT
     160 <213> ORGANISM: Homo sapiens
     162 <220> FEATURE:
     163 <223> OTHER INFORMATION: linker sequences inserted between identical VH and VL
domains
     165 <400> SEQUENCE: 11
     166 Glu Ser Gly Ser Val Ser Ser Glu Glu Leu Ala Phe Arg Ser Leu Asp
     167 1
                                              10
     170 <210> SEQ ID NO: 12
     171 <211> LENGTH: 4
     172 <212> TYPE: PRT
     173 <213> ORGANISM: Homo sapiens
     175 <220> FEATURE:
     176 <223> OTHER INFORMATION: localization signal used to direct intrabody to endoplasmic
reticulum
     178 <400> SEQUENCE: 12
     179 Lys Asp Glu Leu
     180 1
     183 <210> SEQ ID NO: 13
     184 <211> LENGTH: 4
     185 <212> TYPE: PRT
     186 <213> ORGANISM: Homo sapiens
     188 <220> FEATURE:
     189 <223> OTHER INFORMATION: localization signal used to direct intrabody to endoplasmic
reticulum
    191 <400> SEQUENCE: 13
     192 Asp Asp Glu Leu
     193 1
     196 <210> SEO ID NO: 14
     197 <211> LENGTH: 4
     198 <212> TYPE: PRT
     199 <213> ORGANISM: Homo sapiens
     201 <220> FEATURE:
    202 <223> OTHER INFORMATION: localization signal used to direct intrabody to endoplasmic
reticulum
     204 <400> SEQUENCE: 14
     205 Asp Glu Glu Leu
    206 1
     209 <210> SEQ ID NO: 15
```

RAW SEQUENCE LISTING

210 <211> LENGTH: 4

TIME: 15:45:04

```
Input Set : F:\10271-131-999.TXT
                     Output Set: N:\CRF4\01302006\J565771.raw
     211 <212> TYPE: PRT
     212 <213> ORGANISM: Homo sapiens
     214 <220> FEATURE:
     215 <223> OTHER INFORMATION: localization signal used to direct intrabody to endoplasmic
reticulum
     217 <400> SEQUENCE: 15
     218 Gln Glu Asp Leu
     219 1
     222 <210> SEQ ID NO: 16
     223 <211> LENGTH: 4
     224 <212> TYPE: PRT
     225 <213> ORGANISM: Homo sapiens
     227 <220> FEATURE:
     228 <223> OTHER INFORMATION: localization signal used to direct intrabody to endoplasmic
reticulum
    230 <400> SEQUENCE: 16
     231 Arg Asp Glu Leu
     232 1
     235 <210> SEQ ID NO: 17
     236 <211> LENGTH: 7
     237 <212> TYPE: PRT
     238 <213 > ORGANISM: Homo sapiens
     240 <220> FEATURE:
     241 <223> OTHER INFORMATION: localization signal used to direct intrabody to nucleus
     243 <400> SEQUENCE: 17
     244 Pro Lys Lys Lys Arg Lys Val
     245 1
     248 <210> SEQ ID NO: 18
     249 <211> LENGTH: 7
     250 <212> TYPE: PRT
     251 <213> ORGANISM: Homo sapiens
     253 <220> FEATURE:
     254 <223> OTHER INFORMATION: localization signal used to direct intrabody to nucleus
     256 <400> SEQUENCE: 18
     257 Pro Gln Lys Lys Ile Lys Ser
     258 1
     261 <210> SEQ ID NO: 19
     262 <211> LENGTH: 5
     263 <212> TYPE: PRT
     264 <213 > ORGANISM: Homo sapiens
     266 <220> FEATURE:
     267 <223> OTHER INFORMATION: localization signal used to direct intrabody to nucleus
     269 <400> SEQUENCE: 19
     270 Gln Pro Lys Lys Pro
     271 1
    274 <210> SEQ ID NO: 20
    275 <211> LENGTH: 4
    276 <212> TYPE: PRT
    277 <213> ORGANISM: Homo sapiens
    279 <220> FEATURE:
     280 <223> OTHER INFORMATION: localization signal used to direct intrabody to nucleus
```

RAW SEQUENCE LISTING

TIME: 15:45:04

```
Input Set : F:\10271-131-999.TXT
                     Output Set: N:\CRF4\01302006\J565771.raw
     282 <400> SEQUENCE: 20
     283 Arg Lys Lys Arg
     287 <210> SEQ ID NO: 21
     288 <211> LENGTH: 5
     289 <212> TYPE: PRT
     290 <213> ORGANISM: Homo sapiens
     292 <220> FEATURE:
     293 <223> OTHER INFORMATION: localization signal used to direct intrabody to nucleus
     295 <400> SEQUENCE: 21
     296 Lys Lys Lys Arg Lys
     297 1
     300 <210> SEQ ID NO: 22
     301 <211> LENGTH: 12
     302 <212> TYPE: PRT
     303 <213> ORGANISM: Homo sapiens
     305 <220> FEATURE:
     306 <223> OTHER INFORMATION: localization signal used to direct intrabody to nucleolar
region
     308 <400> SEQUENCE: 22
     309 Arg Lys Lys Arg Arg Gln Arg Arg Arg Ala His Gln
     310 1
     313 <210> SEQ ID NO: 23
     314 <211> LENGTH: 16
     315 <212> TYPE: PRT
     316 <213> ORGANISM: Homo sapiens
     318 <220> FEATURE:
     319 <223> OTHER INFORMATION: localization signal used to direct intrabody to nucleolar
region
     321 <400> SEQUENCE: 23
     322 Arg Gln Ala Arg Arg Asn Arg Arg Arg Trp Arg Glu Arg Gln Arg
                                             10
     326 <210> SEQ ID NO: 24
     327 <211> LENGTH: 19
     328 <212> TYPE: PRT
     329 <213> ORGANISM: Homo sapiens
     331 <220> FEATURE:
     332 <223> OTHER INFORMATION: localization signal used to direct intrabody to nucleolar
region
     334 <400> SEQUENCE: 24
     335 Met Pro Leu Thr Arg Arg Pro Ala Ala Ser Gln Ala Leu Ala Pro
                                             10
     337 Pro Thr Pro
     341 <210> SEQ ID NO: 25
     342 <211> LENGTH: 15
     343 <212> TYPE: PRT
    344 <213> ORGANISM: Homo sapiens
   346 <220> FEATURE:
     347 <223> OTHER INFORMATION: localization signal used to direct intrabody to endosomal
compartment
    349 <400> SEQUENCE: 25
     350 Met Asp Asp Gln Arg Asp Leu Ile Ser Asn Asn Glu Gln Leu Pro
```

RAW SEQUENCE LISTING

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 01/30/2006 PATENT APPLICATION: US/10/565,771 TIME: 15:45:05

Input Set : F:\10271-131-999.TXT

Output Set: N:\CRF4\01302006\J565771.raw

## Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:26; Xaa Pos. 7,8,32

VERIFICATION SUMMARY DATE: 01/30/2006 TIME: 15:45:05 PATENT APPLICATION: US/10/565,771

Input Set : F:\10271-131-999.TXT

Output Set: N:\CRF4\01302006\J565771.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application Number L:12 M:271 C: Current Filing Date differs, Replaced Current Filing Date

L:368 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0

M:341 Repeated in SeqNo=26